

| Product No.                                    | Size | Description           | Ctn. Qty. | Ctn. Wt. | U.P.C. Code  | MSDS |
|--|------|-----------------------|-----------|----------|--------------|------|
| <b>PLASTIC PIPE CEMENT BRUSHES AND DAUBERS</b> |      |                       |           |          |              |      |
| 50200  | 1"   | NATURAL BRISTLE BRUSH | 36        | 1.4      | 032628502000 | 999  |



### PVC CEMENT - CLEAR, MEDIUM BODY, MEDIUM SET

- For PVC Types I & II, potable water, DWV, and SW pipe and fittings up to 6" diameter
- For Schedules 40 and 80

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60003 | 1/4 pt. | DAUBER IN CAP       | 12 | 4.3  | 032628600034 | 52 |
| 60013 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.8  | 032628600133 | 52 |
| 60015 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 14.5 | 032628600157 | 52 |
| 60020 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 27.5 | 032628600201 | 52 |
| 60025 | 1 gal.  |                     | 6  | 53.2 | 032628600256 | 52 |



### LOW VOC PVC CEMENT - CLEAR, MEDIUM BODY, MEDIUM SET

- For PVC Types I & II, potable water, DWV, and SW pipe and fittings up to 6" diameter
- For Schedules 40 and 80
- Meets California and other environmental district rules

|              |                |                            |    |      |              |    |
|--------------|----------------|----------------------------|----|------|--------------|----|
| <b>62003</b> | <b>1/4 pt.</b> | <b>DAUBER IN CAP</b>       | 12 | 4.3  | 032628620032 | 92 |
| <b>62013</b> | <b>1/2 pt.</b> | <b>DAUBER IN CAP</b>       | 12 | 7.8  | 032628620131 | 92 |
| <b>62015</b> | <b>1 pt.</b>   | <b>JUMBO DAUBER IN CAP</b> | 12 | 14.5 | 032628620155 | 92 |
| <b>62020</b> | <b>1 qt.</b>   | <b>JUMBO DAUBER IN CAP</b> | 12 | 27.5 | 032628620209 | 92 |



### PVC CEMENT - CLEAR, REGULAR BODY, MEDIUM SET

- For PVC Types I & II, potable water, and SW pipe and fittings up to 4" diameter
- For Schedule 40

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60043 | 1/4 pt. | DAUBER IN CAP       | 12 | 4.3  | 032628600430 | 53 |
| 60053 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.8  | 032628600539 | 53 |
| 60055 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 14.7 | 032628600553 | 53 |
| 60060 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 27.5 | 032628600607 | 53 |
| 60065 | 1 gal.  |                     | 6  | 53.6 | 032628600652 | 53 |



### LOW VOC PVC CEMENT - CLEAR, REGULAR BODY, MEDIUM SET

- For PVC Types I & II, potable water, and SW pipe and fittings up to 4" diameter
- For Schedule 40
- Meets California and other environmental district rules

|              |                |                            |    |      |              |     |
|--------------|----------------|----------------------------|----|------|--------------|-----|
| <b>62053</b> | <b>1/2 pt.</b> | <b>DAUBER IN CAP</b>       | 12 | 7.8  | 032628620537 | 119 |
| <b>62055</b> | <b>1 pt.</b>   | <b>JUMBO DAUBER IN CAP</b> | 12 | 14.7 | 032628620551 | 119 |
| <b>62060</b> | <b>1 qt.</b>   | <b>JUMBO DAUBER IN CAP</b> | 12 | 27.5 | 032628620605 | 119 |



### PVC CEMENT - CLEAR, MEDIUM BODY, FAST SET

- For PVC Types I & II, potable water, and SW pipe and fittings up to 8" diameter
- For Schedules 40 and 80

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60103 | 1/4 pt. | DAUBER IN CAP       | 12 | 4.3  | 032628601031 | 52 |
| 60113 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.8  | 032628601130 | 52 |
| 60115 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 14.9 | 032628601154 | 52 |
| 60120 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 27.5 | 032628601208 | 52 |
| 60125 | 1 gal.  |                     | 6  | 53.0 | 032628601253 | 52 |



### BELOW ZERO PVC CEMENT - CLEAR, REGULAR BODY, FAST SET

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 6" diameter
- For Schedule 40

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60142 | 1/2 pt. | DAUBER IN CAP       | 24 | 15.4 | 032628601420 | 51 |
| 60145 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 14.5 | 032628601451 | 51 |
| 60148 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 27.5 | 032628601482 | 51 |





| Product No. | Size | Description | Ctn. Qty. | Ctn. Wt. | U.P.C. Code | MSDS |
|-------------|------|-------------|-----------|----------|-------------|------|
|-------------|------|-------------|-----------|----------|-------------|------|

### PVC CEMENT - CLEAR, HEAVY BODY, SLOW SET

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 15" diameter
- For Schedules 40 and 80

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60155 | 1/2 pt. | DAUBER IN CAP       | 24 | 15.6 | 032628601550 | 50 |
| 60160 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 14.6 | 032628601604 | 50 |
| 60165 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 27.6 | 032628601659 | 50 |

### LOW VOC PVC CEMENT - CLEAR, HEAVY BODY, SLOW SET

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 15" diameter
- For Schedules 40 and 80
- Meets California and other environmental district rules

|       |         |                     |    |      |              |     |
|-------|---------|---------------------|----|------|--------------|-----|
| 62155 | 1/2 pt. | DAUBER IN CAP       | 24 | 15.6 | 032628621558 | 120 |
| 62160 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 14.6 | 032628621602 | 120 |
| 62165 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 27.6 | 032628621657 | 120 |



### PVC CEMENT - GRAY, HEAVY BODY, SLOW SET

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 15" diameter
- For Schedules 40 and 80

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60210 | 1/2 pt. | DAUBER IN CAP       | 24 | 15.9 | 032628602106 | 60 |
| 60215 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 14.7 | 032628602151 | 60 |
| 60220 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 27.9 | 032628602205 | 60 |
| 60225 | 1 gal.  |                     | 6  | 54.0 | 032628602250 | 60 |

### LOW VOC PVC CEMENT - GRAY, HEAVY BODY, SLOW SET

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 15" diameter
- For Schedules 40 and 80
- Meets California and other environmental district rules

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 62210 | 1/2 pt. | DAUBER IN CAP       | 24 | 15.9 | 032628622104 | 93 |
| 62215 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 14.7 | 032628622159 | 93 |
| 62220 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 27.9 | 032628622203 | 93 |



### WET SET PVC CEMENT - AQUA BLUE, MEDIUM BODY, FAST SET

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 8" diameter
- Ideal for lawn sprinkler and swimming pool installations
- Applicable where conditions are very wet and/or when quick pressurization is imperative
- For Schedules 40 and 80

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60253 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.4  | 032628602533 | 76 |
| 60255 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 13.7 | 032628602557 | 76 |
| 60260 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 28.7 | 032628602601 | 76 |
| 60265 | 1 gal.  |                     | 6  | 54.2 | 032628602656 | 76 |

### LOW VOC WET SET PVC CEMENT - AQUA BLUE, MEDIUM BODY, FAST SET

- For PVC Types I & II, potable water, DWV and SW pipe and fittings up to 8" diameter
- Ideal for lawn sprinkler and swimming pool installations
- Meets California and other environmental district rules
- Applicable where conditions are very wet and/or when quick pressurization is imperative
- For Schedules 40 and 80

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 62253 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.4  | 032628622531 | 94 |
| 62255 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 13.7 | 032628622559 | 94 |
| 62260 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 28.7 | 032628622609 | 94 |



### CPVC CEMENT - ORANGE, MEDIUM BODY, FAST SET

- CPVC potable water pipe and fittings up to 8" diameter
- For all Schedules

|       |         |               |    |      |              |    |
|-------|---------|---------------|----|------|--------------|----|
| 60303 | 1/4 pt. | DAUBER IN CAP | 12 | 4.4  | 032628603035 | 61 |
| 60313 | 1/2 pt. | DAUBER IN CAP | 12 | 8.0  | 032628603134 | 61 |
| 60315 | 1 pt.   | DAUBER IN CAP | 12 | 14.7 | 032628603158 | 61 |
| 60320 | 1 qt.   | DAUBER IN CAP | 12 | 28.0 | 032628603202 | 61 |

### LOW VOC CPVC CEMENT - ORANGE, MEDIUM BODY, FAST SET

- CPVC potable water pipe and fittings up to 8" diameter
- Meets California and other environmental district rules
- For all Schedules

|       |         |               |    |      |              |    |
|-------|---------|---------------|----|------|--------------|----|
| 62313 | 1/2 pt. | DAUBER IN CAP | 12 | 8.0  | 032628623136 | 95 |
| 62315 | 1 pt.   | DAUBER IN CAP | 12 | 14.7 | 032628623156 | 95 |
| 62320 | 1 qt.   | DAUBER IN CAP | 12 | 28.0 | 032628623200 | 95 |



| Product No. | Size | Description | Ctn. Qty. | Ctn. Wt. | U.P.C. Code | MSDS |
|-------------|------|-------------|-----------|----------|-------------|------|
|-------------|------|-------------|-----------|----------|-------------|------|

### LOW VOC CPVC - GOLD, MEDIUM BODY, MEDIUM SET

- One step, low V.O.C. cement for use on all CPVC pipe and fittings including FlowGuard Gold®
- For Schedules 40 and 80
- Meets California and other environmental district rules

|       |         |               |    |      |              |    |
|-------|---------|---------------|----|------|--------------|----|
| 60353 | 1/4 pt. | DAUBER IN CAP | 12 | 4.4  | 032628603530 | 95 |
| 60358 | 1/2 pt. | DAUBER IN CAP | 12 | 8.0  | 032628603585 | 95 |
| 60360 | 1 pt.   | DAUBER IN CAP | 12 | 14.7 | 032628603608 | 95 |
| 60365 | 1 qt.   | DAUBER IN CAP | 12 | 28.0 | 032628603653 | 95 |



### UNPURPLE PRIMER FOR PVC AND CPVC CEMENT

- To soften and prepare surface of PVC pipe and fittings
- For all Schedules
- Special purple dye appears clear - purple color revealed only under UV light

|       |       |                     |    |      |              |     |
|-------|-------|---------------------|----|------|--------------|-----|
| 60445 | 1 pt. | JUMBO DAUBER IN CAP | 12 | 13.7 | 032628604452 | 118 |
| 60447 | 1 qt. | JUMBO DAUBER IN CAP | 12 | 25.9 | 032628604476 | 118 |



### LOW VOC PRIMER FOR PVC AND CPVC - PURPLE

- To soften and prepare surface of PVC and CPVC pipe and fittings
- For all Schedules
- Meets California and other environmental district rules
- Use caution: Purple primers contain a dye which is difficult or impossible to remove

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60403 | 1/4 pt. | DAUBER IN CAP       | 12 | 4.1  | 032628604032 | 62 |
| 60413 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.4  | 032628604131 | 62 |
| 60415 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 13.7 | 032628604155 | 62 |
| 60420 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 25.9 | 032628604209 | 62 |
| 60425 | 1 gal.  |                     | 6  | 49.8 | 032628604254 | 62 |



### LOW VOC PVC PRIMER - CLEAR

- To soften and prepare surface of PVC pipe and fittings
- Meets California and other environmental district rules
- For all Schedules

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60453 | 1/4 pt. | DAUBER IN CAP       | 12 | 4.1  | 032628604537 | 63 |
| 60458 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.3  | 032628604582 | 63 |
| 60460 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 13.4 | 032628604605 | 63 |
| 60465 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 25.3 | 032628604650 | 63 |
| 60470 | 1 gal.  |                     | 6  | 48.6 | 032628604704 | 63 |



### LOW VOC PVC PRIMER - PURPLE

- To soften and prepare surface of PVC pipe and fittings
- For all Schedules
- Meets California and other environmental district rules
- Use caution: Purple primers contain a dye which is difficult or impossible to remove

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60473 | 1/4 pt. | DAUBER IN CAP       | 12 | 4.1  | 032628604735 | 70 |
| 60483 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.3  | 032628604834 | 70 |
| 60485 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 13.4 | 032628604858 | 70 |
| 60490 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 25.3 | 032628604902 | 70 |
| 60495 | 1 gal.  |                     | 6  | 48.6 | 032628604957 | 70 |



| Product No. | Size | Description | Ctn. Qty. | Ctn. Wt. | U.P.C. Code | MSDS |
|-------------|------|-------------|-----------|----------|-------------|------|
|-------------|------|-------------|-----------|----------|-------------|------|



### LOW VOC ABS CEMENT - BLACK, MEDIUM BODY, FAST SET

- For DWV and SW pipe and fittings up to 8" diameter
- Meets California and other environmental district rules.
- For all Schedules

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60503 | 1/4 pt. | DAUBER IN CAP       | 12 | 4.1  | 032628605039 | 64 |
| 60513 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.4  | 032628605138 | 64 |
| 60515 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 13.6 | 032628605152 | 64 |
| 60520 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 25.7 | 032628605206 | 64 |
| 60525 | 1 gal.  |                     | 6  | 49.5 | 032628605251 | 64 |



### ABS/PVC TRANSITION CEMENT - GREEN, MEDIUM BODY, FAST SET

- For joining ABS to PVC pipe and fittings up to 6" diameter
- Meets California and other environmental district rules.
- For all Schedules

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60555 | 1/2 pt. | DAUBER IN CAP       | 24 | 15.5 | 032628605558 | 65 |
| 60560 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 14.5 | 032628605602 | 65 |



### LOW VOC ABS/PVC TRANSITION CEMENT - GREEN, MEDIUM BODY, FAST SET

- For joining ABS to PVC pipe and fittings up to 6" diameter
- Meets California and other environmental district rules.
- For all Schedules

|       |         |               |    |      |              |     |
|-------|---------|---------------|----|------|--------------|-----|
| 62555 | 1/2 pt. | DAUBER IN CAP | 24 | 15.5 | 032628625556 | 121 |
| 62560 | 1 pt.   | DAUBER IN CAP | 12 | 14.5 | 032628625600 | 121 |



### LOW VOC PLASTIC PIPE AND FITTINGS CLEANER - CLEAR

- For removing foreign matter and dirt from ABS, PVC, and CPVC, pipe and fittings
- Meets California and other environmental district rules.
- For all Schedules

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60652 | 1/4 pt. | DAUBER IN CAP       | 12 | 4.0  | 032628606524 | 67 |
| 60659 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.2  | 032628606593 | 67 |
| 60664 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 13.1 | 032628606647 | 67 |
| 60667 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 24.7 | 032628606678 | 67 |
| 60669 | 1 gal.  |                     | 6  | 47.5 | 032628606692 | 67 |



### MULTI-PURPOSE CEMENT - MILKY, MEDIUM BODY, FAST SET

- For potable water, DWV and SW pipe and fittings
- For Schedules 40 and 80
- For joining PVC, CPVC and ABS pipe and fittings up to 6" diameter

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 60703 | 1/4 pt. | DAUBER IN CAP       | 12 | 4.4  | 032628607033 | 66 |
| 60713 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.2  | 032628607132 | 66 |
| 60715 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 13.1 | 032628607156 | 66 |
| 60720 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 24.8 | 032628607200 | 66 |
| 60725 | 1 gal.  |                     | 6  | 47.5 | 032628607255 | 66 |



### LOW VOC MULTI-PURPOSE CEMENT - MILKY, MEDIUM BODY, FAST SET

- For potable water, DWV and SW pipe and fittings
- For Schedules 40 and 80
- Meets California and other environmental district rules
- For joining PVC, CPVC and ABS pipe and fittings up to 6" diameter

|       |         |                     |    |      |              |    |
|-------|---------|---------------------|----|------|--------------|----|
| 62713 | 1/2 pt. | DAUBER IN CAP       | 12 | 7.2  | 032628627130 | 96 |
| 62715 | 1 pt.   | JUMBO DAUBER IN CAP | 12 | 13.1 | 032628627154 | 96 |
| 62720 | 1 qt.   | JUMBO DAUBER IN CAP | 12 | 24.8 | 032628627208 | 96 |